



Vodovodna 95  
1000 Ljubljana  
SLOVENIJA

T: +386 (0)1 428 44 93

E: [nfl@policija.si](mailto:nfl@policija.si)

[www.policija.si](http://www.policija.si)


## ANALYTICAL REPORT

### 2C-T-4-NBOMe (C<sub>21</sub>H<sub>29</sub>NO<sub>3</sub>S)

{2-[2,5-dimethoxy-4-(propan-2-ylsulfanyl)phenyl]ethyl}[(2-methoxyphenyl)methyl]amine

Remark – other active cpd. detected: **none**

Sample ID:	1335-16
Sample description:	crystallinic - white
Sample type:	RM-reference material
Comments <sup>1</sup> :	Lipomed Lot#; RESPONSE -purchasing
Date of entry:	3/8/2016

Substance identified-structure <sup>2</sup> (base form)	
Systematic name:	{2-[2,5-dimethoxy-4-(propan-2-ylsulfanyl)phenyl]ethyl}[(2-methoxyphenyl)methyl]amine
Other names:	25T4-NB2OMe; 262-(2,5-Dimethoxy-4-isopropylthiophenyl)-N-[(2-methoxyphenyl)methyl]ethanamine
Formula (per base form)	C <sub>21</sub> H <sub>29</sub> NO <sub>3</sub> S
M <sub>w</sub> (g/mol)	375.53
Salt form:	HCl
StdInChIKey	BOWHVFJVBVJCU-UHFFFAOYSA-N
Compound Class	Phenethylamines
Other active cpd. detected	none
Add.info (purity..)	> 98,5 % (as HCl)

<sup>1</sup> This report has been produced with the financial support of the Prevention of and fight against crime Programme of the European Union (grant agreement number JUST/2013/ISEC/DRUGS/AG/6413). The contents of this report are the sole responsibility of the National Forensic Laboratory and can in no way be taken to reflect the views of the European Commission.

<sup>2</sup> Created by OPSIN free tool: <http://opsin.ch.cam.ac.uk/> DOI: 10.1021/ci100384d



## Report updates

date	comments (explanation)

## Supporting information

Analytical technique:	applied	remarks
GC-MS (EI ionization)	+	NFL GC-RT (min): 11.38 BP(1): 121; BP(2): 150, BP(3) :91,
FTIR-ATR	+	direct measurement
GC-IR (condensed phase)	+	

### GC-MS (Agilent):

GC-method is RT locked to tetracosane (RT=9.53 min).

Injection volume 1 ml and split mode (1:50) .

Injector temperature: 280 °C.

#### Chromatographic separation

Column: HP1-MS (100% dimethylpolysiloxane), length 30 m, internal diameter 0.25 mm, film thickens 0.25 mm.

Carrier gas He: flow-rate 1.2 ml/min. GC oven program: 170 °C for 1 min, followed by heating up to 293 °C at a rate of 18 °C/min, hold for 6.1 min, than heating at 50 °C/min up to 325 °C and finally 2.8 min isothermal.

MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min) to 550 (300) amu.

**FTIR-ATR** (Perkin Elmer): scan range 4000-400 cm-1; resolution 4cm-1

**GC- (MS)-IR** condensed phase (GC-MS (Agilent) & IR (Spectra analyses-Danny) IR scan range 4000 to 700, resolution 4cm-1

#### GC-method:

Injection volume 1 ml and split mode (1:5) .

Injector temperature: 280 °C.

#### Chromatographic separation

Column: HP1-MS (100% dimethylpolysiloxane), length 30 m, internal diameter 0.25 mm, film thickens 0.25 mm.

Carrier gas He: flow-rate 1.2 ml/min. GC oven program: 170 °C for 1 min, followed by heating up to 293 °C at a rate of 18 °C/min, hold for 6.1 min, than heating at 50 °C/min up to 325 °C and finally 2.8 min isothermal.


#### Split MS : IR : (1:9)

MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min) to 550 (300) amu.


IR (condensed phase): IR scan range 4000 to 700, resolution 4cm-1

## FIGURES OF SPECTRA


MS (EI)  
Abundance



MS (EI)-TFA derivative  
Abundance



### FTIR-ATR



### IR-Condensed phase

