


ANALYTICAL REPORT

MPhP-2201 (C₂₄H₂₇FN₂O₃)

methyl 2-[[1-(5-fluoropentyl)-1H-indol-3-yl]formamido]-3-phenylpropanoate

Remark – other NPS detected: **none**

Sample ID:	1952-18
Sample description:	powder
Sample type:	test purchase /ISF projekt (NFL-SI)
Date of sample receipt (DD/MM/YYYY):	21/06/2018
Date of entry (DD/MM/YYYY) into NFL database:	02/08/2018
Report updates (if any) will be published here:	http://www.policija.si/apps/nfl_response_web/seznam.php

Substance identified - structure ¹ (base form)	
Systematic name	methyl 2-[[1-(5-fluoropentyl)-1H-indol-3-yl]formamido]-3-phenylpropanoate
Other names	methyl N-[1-(5-fluoropentyl)-1H-indole-3-carbonyl]phenylalaninate; 3-phenyl 2-(1-(5-fluoropentyl)-1H-indole-3-carboxamido) propanoic acid methyl ester ; 5F-MPhP-PICA
Formula (per base form)	C ₂₄ H ₂₇ FN ₂ O ₃
M _w (g/mol)	410,49
Salt form/anions detected	base
StdInChIKey (per base form)	GZGBNOYVLYYCZ-UHFFFAOYSA-N
Other NPS detected	none
Additional info (purity..)	> 91 % by NMR

¹ Created by OPSIN free tool: <http://opsin.ch.cam.ac.uk/> DOI: 10.1021/ci100384d

Report updates

date	comments (explanation)

Instrumental methods (if applied) in NFL

1. GC-MS (Agilent): GC-method is RT locked to tetracosane (9.258 min). Injection volume 1 ml and split mode (1:50). Injector temperature: 280 °C. Chromatographic separation: on column HP1-MS (100% dimethylpolysiloxane), length 30 m, internal diameter 0.25 mm, film thickness 0.25 µm. Carrier gas He: flow-rate 1.2 ml/min. GC oven program: 170 °C for 1 min, followed by heating up to 190 °C at rate 8 °C/min, then heating up to 293 °C at a rate of 18 °C/min, hold for 7.1 min, then heating at 50 °C/min up to 325 °C and finally 6.1 min isothermal. MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300 until 6 min) amu.

2. HPLC-TOF (Agilent): 6230B TOF with Agilent 1260 Infinity HPLC with binary pump, column: Zorbax Eclipse XDB-C18, 50 x 4.6 mm, 1.8 micron. Mobile phases (A) 0.1% formic acid and 1mM ammonium formate in water; (B) 0.1% formic acid in methanol (B). Gradient: starting at 5% B, changing to 40% B over 4 min, then to 70% over 2 min and in 5 min to 100%, hold 1 min and back to 5%, equilibration for 1.7 min. The flow rate: 1.0 ml/min; Injection volume 1 µl. MS parameters: 2GHz, Extended Dynamic range mode to a maximum of 1700 amu, acquisition rate 1.30 spectra/sec. Sample ionisation: by Agilent Jet Stream technology (Dual AJS ESI). Ion source: positive ion scan mode with mass scanning from 82 to 1000 amu. Other TOF parameters: drying gas (N₂) and sheath temperature 325 °C; drying gas flow rate 6 l/min; sheath gas flow rate 8 l/min; nebulizer 25 psig; Vcap. 4000 V; nozzle 2000 V; skimmer 65 V; fragmentor 175 V and Octopole RF 750 V.

3. FTIR-ATR (Perkin Elmer): scan range 4000-400 cm⁻¹; resolution 4cm⁻¹

4. GC- (MS)-IR condensed phase (GC-MS (Agilent) & IR (Spectra analyses-Danny)

GC-method: Injection volume 1 ml and split mode (1:5). Injector temperature 280 °C. Chromatographic separation as above **(1)**. Split MS : IR = 1: 9.

MSD source EI = 70 eV. GC-MS transfer line T= 235°C, source and quadropole temperatures 280°C and 180°C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300) amu.

IR (condensed (solid) phase): IR scan range 4000 to 650, resolution 4 cm⁻¹.

5. IC (anions) (Thermo Scientific, Dionex ICS 2100), Column: IonPac AS19, 2 x 250mm; Eluent: 10mM from 0 to 10 min, 10-58 mM from 10 to 40min; Flow rate: 0.25 ml/min; Temperature: 30°C; Suppressor: AERS 500 2mm, suppressor current 13mA; Inj. Volume: 25 µl

Supporting information


Solubility in	result/remark
CH ₂ Cl ₂	soluble
MeOH	soluble
H ₂ O	soluble

Analytical technique:	applied	remarks
GC-MS (EI ionization)	+	NFL GC-RT (min): 16,41 BP(1): 232; BP(2): 248,BP(3) :144,
HPLC-TOF	+	Exact mass (theoretical): 410,2006; measured value Δppm:0,10; formula:C ₂₄ H ₂₇ FN ₂ O ₃
FTIR-ATR	+	direct measurement (sample as received)
FTIR (solid phase) always as base form	+	
IC (anions)	+	
NMR (in FKKT)	+	
validation		
other		


ANALYTICAL RESULTS

MS (EI)


Abundance



FTIR-ATR - direct measurement (sample as received)



IR (solid phase – after chromatographic separation)



TOF REPORT


Data File	MPHP_2201.d	Sample Name	ID 1952-18
Sample Type	Sample	Position	P1-D6
Instrument Name	6230B TOF LC-MS	User Name	TG
Acq Method	general-04_12_2017-XDB-C18-ESI+.m	Acquired Time	6/26/2018 1:53:49 PM
IRM Calibration Status	Success	DA Method	a-Drugs_NFL.m
Comment	MeOH		

Compound Table


Label	Compound Name	MFG Formula	Obs. RT	Obs. Mass
Cpd 6: MPHP-2201	MPHP-2201	C24 H27 F N2 O3	8.68	410.2005

Name	Obs. m/z	Obs. RT	Obs. Mass	DB RT	DB Formula	DB Mass	DB Mass Error (ppm)
MPHP-2201	411.2078	8.68	410.2005	8.68	C24 H27 F N2 O3	410.2006	0.1


Compound Chromatograms



MFE MS Zoomed Spectrum



MS Zoomed Spectrum



MS Spectrum Peak List


Obs. m/z	Charge	Abund	Formula	Ion/Isotope
411.2078	1	3874826	C24 H27 F N2 O3	(M+H)+
412.2111	1	1047564.46	C24 H27 F N2 O3	(M+H)+
413.2139	1	145185.84	C24 H27 F N2 O3	(M+H)+
414.2164	1	15697.29	C24 H27 F N2 O3	(M+H)+
433.1896	1	37855.86	C24 H27 F N2 O3	(M+Na)+
434.1928	1	11075.13	C24 H27 F N2 O3	(M+Na)+
821.4092	1	626722.5		(2M+H)+
822.4123	1	331634.48		(2M+H)+
823.4146	1	85687.39		(2M+H)+
824.4166	1	16838.55		(2M+H)+

--- End Of Report ---

Peak Integration Report

Sample Name:	1952-18_IC	Inj. Vol.:	25,00
Injection Type:	Unknown	Dilution Factor:	1,0000
Program:	ANIONI	Operator:	kemija
Inj. Date / Time:	26-jun-2018 / 14:52	Run Time:	42,00

No.	Time min	Peak Name	Peak Type	Area $\mu\text{S} \cdot \text{min}$	Height μS	Amount n.a.
		TOTAL:		0,00	0,00	0,00




University
of Ljubljana


Faculty of Chemistry
and Chemical Technology



R E P O R T

Contract No.	C1714-17-460078 (Republic of Slovenia, Ministry of the Interior, POLICE)
Sample ID:	1952-18
Received date:	July 20, 2018
Our notebook code:	NFL-1952-18
NMR sample preparation:	22.1 mg dissolved in 0.7 mL DMSO- <i>d</i> ₆
NMR experiments:	¹ H, ¹³ C, ¹ H- ¹ H <i>gs</i> -COSY, ¹ H- ¹³ C <i>gs</i> -HSQC, ¹ H- ¹³ C <i>gs</i> -HMBC, ¹ H- ¹⁵ N <i>gs</i> -HMBC, ¹⁹ F
Proposed structure with formula, exact mass, molecular weight:	 Chemical Formula: C₂₄H₂₇FN₂O₃ Exact Mass: 410,2006 Molecular Weight: 410,4894
Chemical name:	methyl (1-(5-fluoropentyl)-1H-indole-3-carbonyl)phenylalaninate
Comments:	- Structure elucidation based on 1D and 2D NMR spectra and HRMS. - >91% purity of a sample based on ¹H NMR spectrum
Supporting information:	Copies of ¹ H and ¹³ C NMR spectra, ¹ H and ¹³ C FIDs.
Principal investigator:	Prof. Dr. Janez Košmrlj
Date of report:	July 31, 2018

NFL-1952-18
1H




Current Data Parameters
 NAME NFL-1952-18
 EXPNO 1
 PROCNO 1

F2 - Acquisition Parameters
 Date_ 20180723
 Time 20.23
 INSTRUM spect
 PROBHD 5 mm PABBO BB-
 PULPROG zg30
 TD 65536
 SOLVENT DMSO
 NS 32
 DS 2
 SMH 10000.000 Hz
 FIDRES 0.152588 Hz
 AQ 3.276799 sec
 RG 71.8
 DW 50.000 usec
 DE 6.50 usec
 TE 296.0 K
 D1 1.00000000 sec
 TD0 1

===== CHANNEL f1 =====
 SFO1 500.130085 MHz
 NUC1 1H
 P1 8.70 usec
 PL1 26.00000000 W

F2 - Processing Parameters
 SI 65536
 SF 500.1300047 MHz
 WDW EM
 SSB 0
 LB 0.30 Hz
 GB 0
 PC 1.00

NFL-1952-18
13C



```

Current Data Parameters
NAME      NFL-1952-18
EXPNO     2
PROCNO    1

F2 - Acquisition Parameters
Date_     20180724
Time      0.55
INSTRUM   spect
PROBHD    5 mm PABO BB-
PULPROG   zgpg30
TD        65536
SOLVENT   DMSO
NS         5120
DS         4
SWH        29761.904 Hz
FIDRES     0.454131 Hz
AQ         1.1010048 sec
RG         2050
DW         16.800 usec
DE         6.50 usec
TE         296.0 K
D1         2.0000000 sec
D11        0.0300000 sec
TD0        1

===== CHANNEL f1 =====
SFO1      125.7703637 MHz
NUC1       13C
P1         8.70 usec
PLM1      122.0000000 W

===== CHANNEL f2 =====
SFO2      500.1320005 MHz
NUC2       1H
CPCPRG12  waltz16
PCPD2     80.00 usec
PLM2      26.0000000 W
PLM12     0.30046001 W
PLM13     0.15113001 W

F2 - Processing parameters
SI         32768
SF         125.7578452 MHz
WDW        EM
SSB        0
LB         1.00 Hz
GB         0
PC         1.40
  
```