




## ANALYTICAL REPORT<sup>1</sup>

### alpha-PVT (C<sub>13</sub>H<sub>19</sub>NOS)

#### 2-(pyrrolidin-1-yl)-1-(thiophen-2-yl)pentan-1-one

Remark – other NPS detected: **none**

Sample ID:	1726-16
Sample description:	crystallinic - yellow
Sample type:	test purchase /RESPONSE -purchasing
Date of sample receipt (M/D/Y):	10/14/2016
Date of entry (M/D/Y) into NFL database:	12/9/2016
Report updates (if any) will be published here:	<a href="http://www.policija.si/apps/nfl_response_web/seznam.php">http://www.policija.si/apps/nfl_response_web/seznam.php</a>

Substance identified - structure <sup>2</sup> (base form)	
Systematic name	2-(pyrrolidin-1-yl)-1-(thiophen-2-yl)pentan-1-one
Other names	α-Pyrrolidinopentiothiophenone
Formula (per base form)	C <sub>13</sub> H <sub>19</sub> NOS
M <sub>w</sub> (g/mol)	237,36
Salt form/anions detected	HCl
StdInChIKey	OOSRPGUQJAKBLV-UHFFFAOYSA-N
Compound Class	Cathinones
Other NPS detected	none
Add.info (purity..)	minor impurities by GC-MS

<sup>1</sup> This report has been produced with the financial support of the Prevention of and fight against crime Programme of the European Union (grant agreement number JUST/2013/ISEC/DRUGS/AG/6413). The contents of this report are the sole responsibility of the National Forensic Laboratory and can in no way be taken to reflect the views of the European Commission.

<sup>2</sup> Created by OPSIN free tool: <http://opsin.ch.cam.ac.uk/> DOI: 10.1021/ci100384d

## Report updates

date	comments (explanation)

### Instrumental methods (if applied) in NFL

**1. GC-MS** (Agilent): GC-method is RT locked to tetracosane (9.258 min). Injection volume 1 ml and split mode (1:50). Injector temperature: 280 °C. Chromatographic separation: on column HP1-MS (100% dimethylpolysiloxane), length 30 m, internal diameter 0.25 mm, film thickness 0.25 µm. Carrier gas He: flow-rate 1.2 ml/min. GC oven program: 170 °C for 1 min, followed by heating up to 190 °C at rate 8 °C/min, then heating up to 293 °C at a rate of 18 °C/min, hold for 6.1 min, then heating at 50 °C/min up to 325 °C and finally 6.1 min isothermal. MSD source EI = 70 eV. GC-MS transfer line T= 235 °C, source and quadropole temperatures 280 °C and 180 °C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300 until 6 min) amu.

**2. HPLC-TOF** (Agilent): 6230B TOF with Agilent 1260 Infinity HPLC with binary pump, column: Zorbax Eclipse XDB-C18, 50 x 4.6 mm, 1.8 micron. Mobile phases (A) 0.1% formic acid and 1mM ammonium formate in water; (B) 0.1% formic acid in methanol (B). Gradient: starting at 5% B, changing to 40% B over 4 min, then to 70% over 2 min and in 5 min to 100%, hold 1 min and back to 5%, equilibration for 1.7 min. The flow rate: 1.0 ml/min; Injection volume 1 µl. MS parameters: 2GHz, Extended Dynamic range mode to a maximum of 1700 amu, acquisition rate 1.30 spectra/sec. Sample ionisation: by Agilent Jet Stream technology (Dual AJS ESI). Ion source: positive ion scan mode with mass scanning from 82 to 1000 amu. Other TOF parameters: drying gas (N<sub>2</sub>) and sheath temperature 325 °C; drying gas flow rate 6 l/min; sheath gas flow rate 8 l/min; nebulizer 25 psig; Vcap. 4000 V; nozzle 2000 V; skimmer 65 V; fragmentor 175 V and Octopole RF 750 V.

**3. FTIR-ATR** (Perkin Elmer): scan range 4000-400 cm<sup>-1</sup>; resolution 4cm<sup>-1</sup>

**4. GC- (MS)-IR** condensed phase (GC-MS (Agilent) & IR (Spectra analyses-Danny)

GC-method: Injection volume 1 ml and split mode (1:5). Injector temperature 280 °C. Chromatographic separation as above (**1**). Split MS : IR = 1: 9.

MSD source EI = 70 eV. GC-MS transfer line T= 235 °C, source and quadropole temperatures 280 °C and 180 °C, respectively. Scan range m/z scan range: from 50 (30 until 6 min.) to 550 (300) amu.

IR (condensed (solid) phase): IR scan range 4000 to 650, resolution 4 cm<sup>-1</sup>.

**5. IC** (anions) (Thermo Scientific, Dionex ICS 2100), Column: IonPac AS19, 2 x 250mm; Eluent: 10mM from 0 to 10 min, 10-58 mM from 10 to 40min; Flow rate: 0.25 ml/min; Temperature: 30 °C; Suppressor: AERS 500 2mm, suppressor current 13mA; Inj. Volume: 25 µl

## Supporting information


Solubility in	result/remark
CH <sub>2</sub> Cl <sub>2</sub>	partially
MeOH	soluble
H <sub>2</sub> O	soluble

Analytical technique:	applied	remarks
GC-MS (EI ionization)	+	NFL GC-RT (min): 5,84 BP(1): 126; BP(2): 127,BP(3) :111,
HPLC-TOF	+	Exact mass (theoretical): 237,1187; measured value Δppm:-2,99; formula:C13H19NOS
FTIR-ATR	+	direct measurement (sample as received)
FTIR (condensed phase) always as base form	+	
IC (anions)	+	
NMR (in FKKT)	-	
validation		MS consistent with CaymanSpectral.L, FTIR ATR with SWGDRUG IR spectrum, GC-IR with LKA- SH Germany
other		


# ANALYTICAL RESULTS

MS (EI)


Abundance



### FTIR-ATR - direct measurement (sample as received)



### IR (condensed phase – after chromatographic separation)



# TOF REPORT


<b>Data File</b>	1726-16.d	<b>Sample Name</b>	ID_1726-16
<b>Sample Type</b>	Sample	<b>Position</b>	P1-D6
<b>Instrument Name</b>	6230B TOF LC-MS	<b>User Name</b>	TG
<b>Acq Method</b>	general-10_10_2016-XDB-C18-ESI-poz-soft.m	<b>Acquired Time</b>	10/17/2016 3:48:22 PM
<b>IRM Calibration Status</b>	Success	<b>DA Method</b>	Drugs_NFL.m
<b>Comment</b>	extract in MeOH		

## Compound Table


Label	Compound Name	MFG Formula	Obs. RT	Obs. Mass
Cpd 1: alfa-PVT	alfa-PVT	C13 H19 N O S	4.7	237.1194

Name	Obs. m/z	Obs. RT	Obs. Mass	DB RT	DB Formula	DB Mass	DB Mass Error (ppm)
alfa-PVT	238.1267	4.7	237.1194	4.7	C13 H19 N O S	237.1187	-2.99


## Compound Chromatograms



## MFE MS Zoomed Spectrum



## MS Zoomed Spectrum



## MS Spectrum Peak List

Obs. m/z	Charge	Abund	Formula	Ion/Isotope
238.1267	1	14393470	C13 H19 N O S	(M+H)+
239.1298	1	2104808.06	C13 H19 N O S	(M+H)+
240.1254	1	709434.4	C13 H19 N O S	(M+H)+
241.127	1	88197.5	C13 H19 N O S	(M+H)+
242.1282	1	9070.88	C13 H19 N O S	(M+H)+

--- End Of Report ---

### Peak Integration Report

Sample Name:	1726-16_IC	Inj. Vol.:	25,00
Injection Type:	Unknown	Dilution Factor:	1,0000
Program:	ANIONI	Operator:	kemija
Inj. Date / Time:	17-okt-2016 / 18:48	Run Time:	42,00

No.	Time min	Peak Name	Peak Type	Area $\mu\text{S}\cdot\text{min}$	Height $\mu\text{S}$	Amount mg/L
1,00	7,50	Chloride	BMB	14,25	67,13	n.a.
TOTAL:				14,25	67,13	0,00

